



### Professional softshell jacket with warm inner lining

Sturdy, durable softshell fabric  
 Wind- and water-repellent (2,000 mm water column)  
 Breathable and permeable to water vapour (2,000 g/m<sup>2</sup>/24h)  
 Water- and dirt-repellent thanks to BIONIC-FINISH@ECO  
 Inside stand-up collar with soft fleece  
 Detachable, adjustable hood  
 Shoulder part reinforced with CORDURA®  
 Full-length, under-panel zip with storm flap  
 Warm inner sleeve cuffs  
 Zipped side pockets, breast pocket and inner pocket  
 Breast pocket with flap, mobile phone pocket inside  
 Reflective details (without protective function/no PPE) on sleeves and at the back  
 Zip for decoration at the back

**Fabric:** Outer fabric (320 g/m<sup>2</sup>): 100% polyester  
 Lining: 100% polyester  
 Trimming: 100% polyamide  
 Padding: 100% polyester

**Country of origin:** China

**Customs tariff number:** 62014090

### Care instructions:



### Available colours

	XS	S	M	L	XL	XXL	3XL
<b>Weight in g</b>	1184 g	1208 g	1237 g	1269 g	1292 g	1317 g	1336 g
<b>VPE</b> (Pcs. per inner packaging / pcs. per outer packaging)	1/10	1/10	1/10	1/10	1/10	1/10	1/10










	4XL	5XL	6XL
<b>Weight in g</b>	1363 g	1390 g	1418 g
<b>VPE</b> (Pcs. per inner packaging / pcs. per outer packaging)	1/10	1/10	1/10

Measurements in cm	XS	S	M	L	XL	XXL	3XL
<b>1/2 chest</b>	54,00 cm	57,00 cm	60,00 cm	63,00 cm	66,00 cm	69,00 cm	72,00 cm
<b>1/2 waist width</b>	53,00 cm	56,00 cm	59,00 cm	62,00 cm	65,00 cm	68,00 cm	71,00 cm
<b>1/2 bottom width</b>	52,00 cm	55,00 cm	58,00 cm	61,00 cm	64,00 cm	67,00 cm	70,00 cm
<b>front length from shoulder</b>	71,00 cm	72,00 cm	73,00 cm	74,00 cm	76,00 cm	78,00 cm	80,00 cm
<b>length back from shoulder</b>	77,00 cm	78,00 cm	79,00 cm	80,00 cm	82,00 cm	84,00 cm	86,00 cm
<b>sleeve length</b>	64,00 cm	65,00 cm	66,00 cm	67,00 cm	68,00 cm	69,00 cm	70,00 cm

Measurements in cm	4XL	5XL	6XL
<b>1/2 chest</b>	76,00 cm	80,00 cm	84,00 cm

Measurements in cm	4XL	5XL	6XL
1/2 waist width	75,00 cm	79,00 cm	83,00 cm
1/2 bottom width	74,00 cm	78,00 cm	82,00 cm
front length from shoulder	83,00 cm	86,00 cm	88,00 cm
length back from shoulder	88,00 cm	90,00 cm	92,00 cm
sleeve length	71,00 cm	72,00 cm	73,00 cm

#### Available colours

 black/black (blackC, blackC)	 black/carbon (blackC, 446U)	 carbon/black (425C, blackC)
 dark-green/black (554U, blackC)	 navy/navy (296C)	 red/black (193C, blackC)
 royal/navy (285C, 296C)	 stone/black (7501C, blackC)	 white/carbon (white, 447U)

#### Features



**OEKO-TEX® Standard 100 (15.0.70467)**  
 OEKO-Tex® CONFIDENCE IN TEXTILES STANDARD 100 15.0.70467 HOHENSTEIN HTTI Tested for harmful substances. [www.oeko-tex.com/standard100](http://www.oeko-tex.com/standard100)



**CORDURA®**  
 CORDURA® is a very sturdy, textured polyamide fabric, which is extremely tear- and abrasion-proof. Special yarns, specially developed weaving techniques, dyeing methods and additional textile finishing ensure that products with CORDURA® can be used as durable and comfortable workwear.



**BIONIC-FINISH@ECO**  
 BIONIC-FINISH® was developed, following the example set by nature, 'learning from nature'. The textile is protected against water and dirt by a very thin crystalline structure. BIONIC-FINISH@ECO protects man and nature.



**Softshell**  
 Softshell with TPU membrane consists of three layers. Due to the microporous TPU membrane as middle layer the material is water-proof, wind-proof and breathable at the same time.



**Breathable-Permeable to water vapour**  
 Functional textiles must have the ability to transport moisture from the skin to the fabric surface as fast as possible. Permeability shows how much steam in grams can evaporate on a surface of 1 m<sup>2</sup> within 24 hours. The higher this figure, the more breathable the textile is.



**Water column of at least 1.500 mm**  
 The ability to withstand water pressure without moisture penetrating into the material is given by the water column (mm). The minimum standard is a water column of 1,500 mm.

